

Smooth Wire

Model	Cores	Box Weight	Yarn Type	Wire Type	Head Diameter	Head Length	Overall Length	Gross Per Box
100-HR17	4	50	Heavy	Rigid	2 1/4	3 1/2	17	1 1/2
200-FR17	4	39	Fine	Rigid	3	3 1/2	17	1
200-HR17	4	39	Heavy	Rigid	3	3 1/2	17	1
200-HR21	4	43	Heavy	Rigid	3	3 1/2	21	1
202-FF15	3	44	Fine	Flex	3	2 1/2	15	2
250-HR17	4	39	Heavy	Rigid	3 1/2	3 1/2	17	1
300-HF17	4	34	Heavy	Flex	4	3 1/2	17	1
300-HR17	4	40	Heavy	Rigid	4	3 1/2	17	1
300-HR21	4	45	Heavy	Rigid	4	3 1/2	21	1
303-HF15	3	44	Heavy	Flex	3	2 1/2	15	1 1/2
50-FF17	3	42	Fine	Flex	2 1/4	2 1/2	17	1 1/2
50-HF17	3	38	Heavy	Flex	2 1/4	2 1/2	17	1 1/2
50-HF26	3	53	Heavy	Flex	2 1/4	2 1/2	26	1 1/2

Flex = 6 gauge Rigid = 8 gauge

Twisted Wire		Box	Yarn	Wire	Head	Head	Overall	Gross
Model	Ends	Weight	Type	Type	Diameter	Length	Length	Per Box
BDT-235-HR16	400	37	Heavy	Rigid	2 1/4	4	16	1
BDT-235-HR20	400	43	Heavy	Rigid	2 1/4	4	20	1
BDT-235-HR21.5	400	43	Heavy	Rigid	2 1/4	4	20	1
BHT-218-HR20	450	56	Heavy	Rigid	4	5	20	1
BHT-219-HR20	600	30	Heavy	Rigid	5	6	20	1/2
CT-260-FF15	300	52	Fine	Flex	3	2	15	2
CT-311-FF15	100	62	Fine	Flex	1	1	15	3
CT-321-FF15	200		Fine	Flex	2 1/2	2	15	2
CT-352-FF15	200		Fine	Flex	3 1/2	2	15	2
CT-370-FF15	200		Fine	Flex	5	2	15	1
LST-032-FF15	200	39	Fine	Flex	2 1/2	2	15	2
LT-124-FR17	200&100	34	Fine	Rigid	1" & 2"	3	17	1
OCT-034-HR20	400	42	Heavy	Rigid	2 1/2	4	20	1
OCT-216-HR20	450	52	Heavy	Rigid	3	5 1/2	20	1
OFT-210-HR17	300	38	Heavy	Rigid	3	3	17	1
T-031-FR17	300	35	Fine	Rigid	2 1/2	3	17	1
T-032-HR20	250	32	Heavy	Rigid	2 1/2	2	20	1
T-033-FR16	500	41	Fine	Rigid	2 1/2	3 1/2	16	1
T-034-FR17	400	32	Fine	Rigid	2 1/2	3	17	1
T-034-HR17	300	32	Heavy	Rigid	2 1/2	3	17	1
T-125-FF15	200	40	Fine	Flex	1 1/4	2	15	2
T-143-FF17	300	32	Fine	Flex	1 3/4	3	17	1
T-143-FR20	300	34	Fine	Rigid	2	3	20	1
T-143-HR17	300	32	Heavy	Rigid	2	3	17	1
T-143-HR19	300	34	Heavy	Rigid	2	3	19	1
T-153-FF15	300	55	Fine	Flex	1 1/2	3	15	3
T-153-HR17	300	32	Heavy	Rigid	1 1/2	3	17	1
T-211-FF17	400	36	Fine	Flex	4	3	17	1
T-211-FR17	400	43	Fine	Rigid	4	3	17	1
T-212-HR17	300	40	Heavy	Rigid	4	2	17	1
T-213-FR17	300	39	Fine	Rigid	4	2	17	1
T-213-HR17	250	39	Heavy	Rigid	4	2	17	1
T-213-XFR17	750	39	XFine	Rigid	4	2	17	1
T-214-FF15	300	46	Fine	Flex	2 1/4	3	15	2
T-220-HR20	400	46	Heavy	Rigid	3	4	20	1
T-221-FF20	500	37	Fine	Flex	3	4	20	1
T-221-FR20	500	48	Fine	Rigid	3	4	20	1

Twisted Wire

Model	Ends	Box Weight	Yarn Type	Wire Type	Head Diameter	Head Length	Overall Length	Gross Per Box
T-223-FF15	400	44	Fine	Flex	3	3	15	1 1/2
T-223-FR17	400	38	Fine	Rigid	3	3	17	1
T-224-FR17	300	36	Fine	Rigid	3	2	17	1
T-224-HF12	300	38	Heavy	Flex	3	2	12	1 1/2
T-224-HF15	300	38	Heavy	Flex	3	2	15	1 1/2
T-224-HR17	300	38	Heavy	Rigid	3	2	17	1
T-224-HR20	300	40	Heavy	Rigid	3	2	20	1
T-231-FR20	500	44	Fine	Rigid	2 1/4	4	20	1
T-233-FR17	400	36	Fine	Rigid	2 1/4	3	17	1
T-233-HF17	300	48	Heavy	Flex	2 1/4	3	17	2
T-234-FR16	300	34	Fine	Rigid	2 1/4	2	16	1
T-234-HF15	250	46	Heavy	Flex	2 1/4	2	15	2
T-236-HF15	400	32	Heavy	Flex	3	3 1/2	15	1
T-241-FF15	400	43	Fine	Flex	2	3	15	2
T-241-FR17	300	30	Fine	Rigid	2	3	17	1
T-243-FF15	300	40	Fine	Flex	2	2	15	2
T-251-FF15	300	36	Fine	Flex	1	3	15	2
T-251-FR20	300	34	Fine	Rigid	1	3	20	1
T-251-HR17	250	60	Heavy	Rigid	1	3	17	2
T-254-FR17	600	46	Fine	Rigid	3	5	17	1
T-255-FF15	300	40	Fine	Flex	1 3/4	3	15	2
T-255-FR19	300	34	Fine	Rigid	1 3/4	3	19	1
T-261-FF12	400	36	Fine	Flex	1	4 1/2	12	2
T-261-FF15	400	38	Fine	Flex	1	4 1/2	15	2
T-271-HF15	150	29	Heavy	Flex	1	1 1/4	15	2
T-281-FF15	400	40	Fine	Flex	2	4	15	2
T-290-FF15	200	45	Fine	Flex	3	1 1/2	15	2
T-290-FR17	200	31	Fine	Rigid	3	1 1/2	17	1
T-291-FR20	200	32	Fine	Rigid	1 3/4	1 1/2	20	1
T-292-FR20	200	31	Fine	Rigid	1	1 1/2	20	1
T-354-HR20	400	50	Heavy	Rigid	4	3 1/2	20	1
T-520-HR17	250	43	Heavy	Rigid	5	1 1/2	17	1
T-540-HR20	400	55	Heavy	Rigid	5	4	20	1
T-540-HR22	400	56	Heavy	Rigid	5	4	22	1
T-1000-FF12	200	21	Fine	Flex	5 1/2	1	12	1
T-2000-FF12	200	23	Fine	Flex	6 1/2	1	12	1